

Melioidosis in Birds and *Burkholderia pseudomallei* Dispersal, Australia

Technical Appendix

Birds with reported melioidosis or carriage of *Burkholderia pseudomallei* in previous publications and this report

Common name	Species name	Origin of bird species	Residence of diseased bird	Captive status	<i>B. pseudomallei</i> culture site	Reference
Parrot	NA	NA	Malaysia	NA	NA	(1)
Sulfur-crested cockatoo	<i>Cacactua galerita</i>	Australia	Townsville, Australia	Captive	Necropsy	(2)
Galah	<i>Eolophus roseicapillus</i>	Australia	Townsville, Australia	Captive	Necropsy	(3)
Unknown native birds		Australia	Queensland, Australia	Captive	Necropsy	(4)
Macaroni penguin	<i>Eudyptes chrysolophus</i>	Maquarie Island	Hong Kong	Captive	Necropsy	(5)
Cassowary	<i>Casuarius sp</i>	Australia	Singapore	Captive	NA	(6)
Palm cockatoo	<i>Probosciger aterrimus</i>	Australia, New Guinea	Singapore	Captive	NA	(6)
Crown pigeon	Crowned pigeon: <i>Goura sp</i>	NA, New Guinea	Singapore	Captive	NA	(6)
Chicken	<i>Gallus gallus</i>	Southeast Asia	France	Captive	Experimental injection/necropsy	(7)
Scarlet macaw	<i>Ara macao</i>	Central America	Hong Kong	Captive	NA	(8)
Zebra dove	<i>Geopelia striata</i>	Southeast Asia	Hong Kong	Captive	NA	(8)
Unknown bird	NA	NA	Malaysia	Wild	NA	(9)
African gray parrot	<i>Psittacus erithacus</i>	Africa	Darwin, Australia	Captive	Necropsy	This report
Yellow-bibbed lorikeet	<i>Lorius chlorocercus</i>	Solomon Islands	Darwin, Australia	Captive	Necropsy	This report
Peaceful dove†	<i>Geopelia placida</i>	Australia	Darwin, Australia	Wild	Beak swab	This report
Chicken	<i>Gallus gallus</i>	Southeast Asia	Darwin, Australia	Captive	Skin lesions	This report
Emu	<i>Dromaius novaehollandiae</i>	Australia	Darwin, Australia	Captive	Brain	This report

*NA, information not available.

†Asymptomatic bird.

References

1. Lim SY, Tan BE. *Actinobacillus whitmori* isolated from a parrot. Kajian Veterinaire. 1967;44–8.
2. Thomas AD, Wilson AJ, Aubrey JN. Melioidosis in sulphur-crested cockatoo (*Cacatua galerita*). Aust Vet J. 1978;54:306–7. [PubMed doi:10.1111/j.1751-0813.1978.tb02466.x](#)
3. Thomas AD, Norton J, Pott B. Melioidosis in a galah (*Cacatua roseicapilla*). Aust Vet J. 1980;56:192–3. [PubMed doi:10.1111/j.1751-0813.1980.tb05680.x](#)
4. Thomas AD. Prevalence of melioidosis in animals in northern Queensland. Aust Vet J. 1981;57:146–8. [PubMed doi:10.1111/j.1751-0813.1981.tb00494.x](#)
5. MacKnight K, Chow D, See B, Vedros N. Melioidosis in a macaroni penguin *Eudyptes chrysophrys*. Dis Aquat Organ. 1990;9:105–7. [doi:10.3354/dao009105](#)
6. Yap EH, Thong TW, Tan AL, Yeo M, Tan HC, Loh H, et al. Comparison of *Pseudomonas pseudomallei* from humans, animals, soil and water by restriction endonuclease analysis. Singapore Med J. 1995;36:60–2. [PubMed](#)
7. Vesselinova A, Najdenski H, Nikolova S, Kussovski V. Experimental melioidosis in hens. Zentralbl Veterinarmed B. 1996;43:371–8. [PubMed](#)
8. Godoy D, Randle G, Simpson A, Aanensen D, Pitt T, Kinoshita R, et al. Multilocus sequence typing and evolutionary relationships among the causative agents of melioidosis and glanders, *Burkholderia pseudomallei* and *Burkholderia mallei*. J Clin Microbiol. 2003;41:2068–79. [PubMed doi:10.1128/JCM.41.5.2068-2079.2003](#)
9. Ouadah A, Zahedi M, Perumal R. Animal melioidosis surveillance in Sabah. The Internet Journal of Veterinary Medicine. 2007;2. http://www.ispub.com/journal/the_internet_journal_of_veterinary_medicine/volume_2_number_2_2/article/animal_melioidosis_surveillance_in_sabah.html