

positive for IgG against Zika virus nonstructural protein 1. These results suggest local Zika virus infection in the Philippines since at least 2010, 2 years earlier than the previously reported infection (1).

This work was supported by the Agency for Research and Development (AMED) under grant no. AMED JP-20wm0125006, AMED Research on Emerging and Re-emerging Infectious Diseases (grant nos. 19fk0108109h0001, 20fk0108109h0001, 20fk0108123h1101) and the Joint Usage/Research Center on Tropical Disease, Institute of Tropical Medicine, Nagasaki University (grant no. 2020-Ippan-21). Partial support came from the Research and Biotechnology Group, St. Luke's Medical Center, Quezon City, Philippines (project no. 07-024).

References

1. Alera MT, Hermann L, Tac-An IA, Klungthong C, Rutvisuttinunt W, Manasatienkij W, et al. Zika virus infection, Philippines, 2012. *Emerg Infect Dis*. 2015;21:722-4. <https://doi.org/10.3201/eid2104.141707>
2. Musso D, Gubler DJ. Zika Virus. *Clin Microbiol Rev*. 2016;29:487-524. <https://doi.org/10.1128/CMR.00072-15>
3. Duong V, Dussart P, Buchy P. Zika virus in Asia. *Int J Infect Dis*. 2017;54:121-8. <https://doi.org/10.1016/j.ijid.2016.11.420>
4. Centers for Disease Control and Prevention. Testing for Zika virus infection. 2019 Jun 13 [cited 2020 Jun 11]. <https://www.cdc.gov/zika/laboratories/types-of-tests.html>

Address for correspondence: Meng Ling Moi, Department of Virology, Institute of Tropical Medicine, Nagasaki University, 1-12-4 Sakamoto Nagasaki, Nagasaki, Nagasaki 852-8523, Japan; email: sherry@nagasaki-u.ac.jp

CORRECTION

Correction: Vol. 26, No. 7

The name of author Xiankun Zeng was misspelled in in Changes in Approach to Cataract Surgery in an Ebola Virus Disease Survivor with Prior Ocular Viral Persistence (J.R. Wells et al.). The article has been corrected online (https://wwwnc.cdc.gov/eid/article/26/7/19-1559_article).

EID Spotlight Topic Zika virus

Zika virus is spread to people through mosquito bites. Outbreaks of Zika have occurred in areas of Africa, Southeast Asia, the Pacific Islands, and the Americas. Because the *Aedes* species of mosquitoes that spread Zika virus are found throughout the world, it is likely that outbreaks will spread to new countries. In May 2015, the Pan American Health Organization issued an alert regarding the first confirmed Zika virus infection in Brazil. In December 2015, Puerto Rico reported its first confirmed Zika virus case.

[http://wwwnc.cdc.gov/eid/
page/zika-spotlight](http://wwwnc.cdc.gov/eid/page/zika-spotlight)

**EMERGING
INFECTIOUS DISEASES®**