

EID cannot ensure accessibility for supplementary materials supplied by authors. Readers who have difficulty accessing supplementary content should contact the authors for assistance.

Healthcare-Associated Infections Caused by *Mycobacterium neoaurum*

Appendix

Appendix Table. Clinical characteristics and treatment of 37 reported cases of patients with *Mycobacterium neoaurum* infections*

No.	Age, y/sex, location	Medical condition, device duration†	Infection	Positive culture site, time to positive result	Treatment	Outcome	Reference
1	1/M, Missouri, USA	Acute lymphoblastic leukemia, subcutaneous port, 6 mo	Bacteremia, catheter-related	Port blood, 5 d	Port removed, IMI + AZI + CIP for 16 d, then TMS + CIP for 26 d	Cured	Case report
2	48/M, Michigan, USA	Acute lymphoblastic leukemia, subcutaneous port	Bacteremia, catheter-related	Blood, 5 d	Port removed, CIP + DOX for 3 mo	Cured	(1)
3	67/F, West Virginia, USA	Diabetes, chronic renal insufficiency, recurrent urinary tract infection, percutaneously inserted central line, 6 mo	Bacteremia, catheter-related	Catheter blood, 6 d	Central line removed, CIP + DOX for 4 wk	Not reported	(2)
4	41/M, Scotland, UK	Acute myeloid leukemia, neutropenia, central venous catheter	Bacteremia, catheter-associated	Catheter, peripheral blood	Central line removed, MER (duration not reported)	Cured	(3)
5	54/F, Queensland, Australia	Ovarian carcinoma, total parenteral nutrition, central venous catheter	Bacteremia, catheter-associated	Catheter, peripheral blood, 2–5 d	GEN + CEFO for 7 wk	Cured	(4)
6	31/F, Cadiz, Spain	Ulcerative colitis, peripheral intravenous catheter, 1 wk	Bacteremia, catheter-associated, exit site inflammation	Peripheral blood, 3 d	TEI for 7 d	Cured	(5)
7	46/M, Iowa, USA	Primary hyperparathyroidism, central venous catheter, 10 mo	Bacteremia, catheter-related	Catheter blood, 2 d	Catheter removed	Cured	(6)
8	48/M, Illinois, USA	Crohn's disease, short gut syndrome, hepatitis C infection, central venous catheter	Bacteremia, catheter-related	Blood	Catheter removed, IMI + CIP, then LEV for 4 wk	Cured	(7)
9	17/M, New South Wales, Australia	Acute lymphoblastic leukemia, hematopoietic stem cell transplant, neutropenia, central venous catheter	Bacteremia, catheter-related, catheter exit site inflammation	Catheter blood, 2 d	Catheter removed, TCL + TOB for 3 wk	Cured	(8)
10	46/M, Taiwan, China	Diabetes, alcohol-related pancreatitis and hepatitis, multi-organ failure, intra-abdominal infection, prosthetic joint replacement, hepatitis B infection, cerebrovascular accident, central venous catheter	Bacteremia, catheter-associated	Catheter blood, 6 d	Catheter removed, AMI + CIP for 1 wk, then AMI + MER for 2 wk	Cured	(9)

No.	Age, y/sex, location	Medical condition, device duration†	Infection	Positive culture site, time to positive result	Treatment	Outcome	Reference
11	66/M, Oklahoma, USA	Diabetes, colon cancer, schizophrenia, subcutaneous port, 6 y	Bacteremia, catheter- associated	Central, peripheral blood, catheter tip, 5 d	Port removed, DOX + IMI + LEV for 4 wk, then DOX + LEV for 2 wk	Cured	(10)
12	53/M, Pennsylvania, USA	Hepatocellular carcinoma, hepatitis B infection, psoriasis, subcutaneous port	Bacteremia, catheter- related	Catheter blood, 7 d	CON, unspecified duration	Relapsed 3 mo, port removed, CON for 2 wk, cured	(11)
13	4/F, Ohio, USA	Acute myeloid leukemia, central venous catheter	Bacteremia, catheter- associated	Blood	Catheter removed, TMS for 6 wk	Cured	(12)
14	39/F, Ohio, USA	Aplastic anemia, central venous catheter	Bacteremia, catheter- associated	Blood	Catheter removed, CIP + CEFT + ERY + ETH + RIF + CEFT for 6 wk	Cured	(12)
15	68/M, Illinois, USA	Diabetes, recurrent small bowel obstruction, parenteral nutrition, recurrent urinary tract infection, central venous catheter, 3 y	Bacteremia, catheter- related, pneumonia	Blood, catheter tip, 8 d	Catheter removed, CEFO + CIP + DOX for 6 wk, then CIP + DOX for 3 wk	Cured	(13)
16	1/F, Michigan, USA	Liver transplant	Bacteremia	Peripheral blood, 6 d	None	Cured	(14)
17	2/F, Michigan, USA	Neuroblastoma, neutropenia, central venous catheter, 5 mo	Bacteremia, catheter- associated	Blood, 4 d	Catheter removed, AMI + CLA + MER for 7 d, then CIP + LIN for 14 d	Cured	(14)
18	3/M, Michigan, USA	Rhabdomyosarcoma, neutropenia, central venous catheter, 7 mo	Blood, catheter- associated	Blood, 1 d	Catheter removed, AMI + CLA + LEV for 12 d, then CLA + LEV for 4 wk	Cured	(14)
19	59/F, Michigan, USA	Colon cancer, colectomy, short gut syndrome, percutaneously inserted central line, 1 mo	Blood, catheter- associated	Blood, 2 d	Catheter removed, CEFO for 2 wk, then CLA + ETHA + LEV for 4 wk	Cured	(14)
20	9/F, Hong Kong, China	Acute lymphoblastic leukemia, central venous catheter	Bacteremia, catheter- related	Catheter blood, 3 d	Catheter removed, CEFZ + AMI for 3 wk	Cured	(15)
21	40/F, Manitoba, Canada	Diabetes, chronic renal insufficiency, hepatitis C infection, hemodialysis fistula, 9 mo	Bacteremia	Blood, hemodialysis fistula, peripheral, excised graft	Excision hemodialysis fistula, CIP + DOX for 4 wk	Cured	(16)
22	80/F, England, UK	Heart block, pacemaker, 2 y	Bacteremia, pacemaker- associated infection	Blood, pacemaker leads, 4 d	Pacemaker removed, AMI + IMI for 23 d, then CIP + DOX + LIN for 1 mo, then CIP + DOX for 2 mo	Cured	(17)
23	30/M, Connecticut, USA	Intravenous drug abuse, endocarditis, prosthetic mitral valve replacement, 1 y	Prosthetic valve endocarditis, brain abscess	Blood, 10 d	AZI + MOX + TOB for 39 d, then AZI + ETH + MOX, duration not reported	Cured	(18)
24	36/M, Ohio, USA	Intravenous drug abuse, prosthetic mitral valve replacement, 1 y	Prosthetic valve endocarditis	Blood, mitral valve	Mitral valve replacement, CIP + IMI + TMS for 6 wk, then CIP + TMS suppression	Cured	(12)
25	63/F, Ontario, Canada	Cerebrovascular accident, rheumatoid arthritis, hypertension, corticosteroid use, tobacco smoker	Granulomatous meningitis	Broad range PCR, brain tissue	None	Death	(19)
26	17/M, Moravia, Czech Republic	Hodgkin lymphoma, malignant pleural effusion, neutropenia	Pneumonia	Sputum	CIP for 3 mo	Cured	(20)

No.	Age, y/sex, location	Medical condition, device duration†	Infection	Positive culture site, time to positive result	Treatment	Outcome	Reference
27	25/F, Chungcheong, South Korea	None	Pneumonia	Bronchoalveolar lavage fluid, 4 d	CLA for 4 mo	Cured	(21)
28	59/M, New South Wales, Australia	Emphysema, tobacco smoker, tuberculosis	Pneumonia	Sputum	MOX + RIF + TMP/SMX for 6 mo	Cured	(22)
29	67/F, Wisconsin, USA	Asthma, corticosteroid use, gastroesophageal reflux, dental caries, tobacco smoker	Pneumonia	Lung biopsy	AMI + CLA for 6 mo	Cured	(23)
30	63/F, Gran Canaria, Spain	Heart block, pacemaker, 11 d, hypertension, hypothyroid, breast cancer	Surgical wound infection, pacemaker pocket	Wound exudate, 10 d	LEV for 2 wk, then DOX + LEV for 4 wk	Cured	(24)
31	14/F, Chiba, Japan	Orthopedic surgery, external fixator, 18 d	Pin exit site infection	Pin tract exudate, 3 d	CIP + MIN, then MIN + TMS for 6 mo	Cured	(25)
32	76/M, England, UK	Chronic renal insufficiency, hypertension, peripheral vascular disease	Soft tissue infection	PCR, skin biopsy	CIP + DOX for 6 mo	Cured	(26)
33	58/M, Hong Kong, China	Penetrating hand injury, sea water exposure, hypothyroidism	Soft tissue infection	Tissue biopsy	Soft tissue debridement, CIP + DOX for 12 wk	Cured	(27)
34	53/F, New South Wales, Australia	Mitral valve replacement, hypertension	Soft tissue infection	PCR, skin biopsy	MOX + ROX for 4 mo	Cured	(28)
35	45/F, New South Wales, Australia	Chronic renal insufficiency, peritoneal dialysis	Peritonitis	Peritoneal fluid	GEN + VAN, then AMI + PIP, no duration given	Cured	(29)
36	54/M, Ohio, USA	Diabetes, hypertension, chronic renal insufficiency, continuous ambulatory peritoneal dialysis	Peritonitis	Peritoneal fluid	Dialysis catheter removed, AMI + CIP + RIF for 4 wk, then CIP + RIF for 3 mo	Cured	(30)
37	63/F, Sardinia, Italy	Chronic renal insufficiency, nephrolithiasis, recurrent urinary tract infection	Urinary tract infection	Urine, 6 d	Not reported	Cured	(31)

*AMI, amikacin; AZI, azithromycin; CEFO, cefoxitin; CEFZ, ceftazidime; CIP, ciprofloxacin; CLA, clarithromycin; CON, contezolid; DOX, doxycycline; ERY, erythromycin; ETHA, ethambutol; GEN, gentamicin; IMI, imipenem; LEV, levofloxacin; LIN, linezolid; MER, meropenem; MIN, minocycline; MOX, moxifloxacin; PIP, piperacillin; RIF, rifampin; ROX, roxithromycin; TCL, ticarcillin-clavulanate; TEI, teicoplanin; TMS, trimethoprim-sulfamethoxazole; TOB, tobramycin; VAN, vancomycin.

†Medical conditions included the use of medical devices and duration of use, if reported.

References

1. Alhusseini M, Miceli MH, Chandrasekar P, Revankar S. Catheter-related bloodstream infection due to *Mycobacterium neoaurum* in a patient with acute leukemia. Leuk Lymphoma. 2014;55:1933–4. [PubMed https://doi.org/10.3109/10428194.2013.858153](https://doi.org/10.3109/10428194.2013.858153)
2. Awadh H, Mansour M, Shorman M. Bacteremia with an unusual pathogen: *Mycobacterium neoaurum*. Case Rep Infect Dis. 2016;2016:5167874. [PubMed https://doi.org/10.1155/2016/5167874](https://doi.org/10.1155/2016/5167874)

3. Baird SF, Taori SK, Dave J, Willocks LJ, Roddie H, Hanson M. Cluster of nontuberculous mycobacteraemia associated with water supply in a haemato-oncology unit. *J Hosp Infect*. 2011;79:339–43. [PubMed](https://doi.org/10.1016/j.jhin.2011.07.006) <https://doi.org/10.1016/j.jhin.2011.07.006>
4. Davison MB, McCormack JG, Blacklock ZM, Dawson DJ, Tilse MH, Crimmins FB. Bacteremia caused by *Mycobacterium neoaurum*. *J Clin Microbiol*. 1988;26:762–4. [PubMed](https://doi.org/10.1128/jcm.26.4.762-764.1988) <https://doi.org/10.1128/jcm.26.4.762-764.1988>
5. Rubia MF, Chozas N, García-Martos P, Reyes F. *Mycobacterium neoaurum* bacteremia in an immunodepressed patient [in Spanish]. *Enferm Infect Microbiol Clin*. 2009;27:58–9. [PubMed](https://doi.org/10.1016/j.eimc.2008.02.003) <https://doi.org/10.1016/j.eimc.2008.02.003>
6. George SL, Schlesinger LS. *Mycobacterium neoaurum*—an unusual cause of infection of vascular catheters: case report and review. *Clin Infect Dis*. 1999;28:682–3. [PubMed](https://doi.org/10.1086/517216) <https://doi.org/10.1086/517216>
7. Hawkins C, Qi C, Warren J, Stosor V. Catheter-related bloodstream infections caused by rapidly growing nontuberculous mycobacteria: a case series including rare species. *Diagn Microbiol Infect Dis*. 2008;61:187–91. [PubMed](https://doi.org/10.1016/j.diagmicrobio.2008.01.004) <https://doi.org/10.1016/j.diagmicrobio.2008.01.004>
8. Holland DJ, Chen SC, Chew WW, Gilbert GL. *Mycobacterium neoaurum* infection of a Hickman catheter in an immunosuppressed patient. *Clin Infect Dis*. 1994;18:1002–3. [PubMed](https://doi.org/10.1093/clinids/18.6.1002) <https://doi.org/10.1093/clinids/18.6.1002>
9. Lai CC, Tan CK, Chen CC, Hsueh PR. *Mycobacterium neoaurum* infection in a patient with renal failure. *Int J Infect Dis*. 2009;13:e276–8. [PubMed](https://doi.org/10.1016/j.ijid.2008.11.001) <https://doi.org/10.1016/j.ijid.2008.11.001>
10. Moseley JE Jr, Thind SK. *Mycobacterium neoaurum* bloodstream infection associated with a totally implanted subclavian port in an adult with diabetes and history of colon cancer. *Case Rep Infect Dis*. 2020;2020:8878069. [PubMed](https://doi.org/10.1155/2020/8878069) <https://doi.org/10.1155/2020/8878069>
11. Pang L, Chen Z, Xu D, Cheng W. Case report: *Mycobacterium neoaurum* infection during ICI therapy in a hepatocellular carcinoma patient with psoriasis. *Front Immunol*. 2022;13:972302. [PubMed](https://doi.org/10.3389/fimmu.2022.972302) <https://doi.org/10.3389/fimmu.2022.972302>
12. van Duin D, Goldfarb J, Schmitt SK, Tomford JW, Tuohy MJ, Hall GS. Nontuberculous mycobacterial blood stream and cardiac infections in patients without HIV infection. *Diagn Microbiol Infect Dis*. 2010;67:286–90. [PubMed](https://doi.org/10.1016/j.diagmicrobio.2010.02.006) <https://doi.org/10.1016/j.diagmicrobio.2010.02.006>

13. Walayat S, Awwal T, Roy M, Ahmad S. *Mycobacterium neoaurum* line-related bacteremia with pulmonary involvement: case report and review of literature. *IDCases*. 2018;11:88–90. [PubMed](#) <https://doi.org/10.1016/j.idcr.2018.01.004>
14. Washer LL, Riddell J 4th, Rider J, Chenoweth CE. *Mycobacterium neoaurum* bloodstream infection: report of 4 cases and review of the literature. *Clin Infect Dis*. 2007;45:e10–3. [PubMed](#) <https://doi.org/10.1086/518891>
15. Woo PC, Tsoi HW, Leung KW, Lum PN, Leung AS, Ma CH, et al. Identification of *Mycobacterium neoaurum* isolated from a neutropenic patient with catheter-related bacteremia by 16S rRNA sequencing. *J Clin Microbiol*. 2000;38:3515–7. [PubMed](#) <https://doi.org/10.1128/JCM.38.9.3515-3517.2000>
16. Becker ML, Suchak AA, Wolfe JN, Zarychanski R, Kabani A, Nicolle LE. *Mycobacterium neoaurum* bacteraemia in a hemodialysis patient. *Can J Infect Dis*. 2003;14:45–8. [PubMed](#) <https://doi.org/10.1155/2003/840103>
17. Hayton ER, Koch O, Scarborough M, Sabharwal N, Drobniowski F, Bowler ICJW. Rapidly growing mycobacteria as emerging pathogens in bloodstream and device-related infection: a case of pacemaker infection with *Mycobacterium neoaurum*. *JMM Case Rep*. 2015;2:1–3. <https://doi.org/10.1099/jmmcr.0.000054>
18. Kumar A, Pazhayattil GS, Das A, Conte HA. *Mycobacterium neoaurum* causing prosthetic valve endocarditis: a case report and review of the literature. *Braz J Infect Dis*. 2014;18:235–7. [PubMed](#) <https://doi.org/10.1016/j.bjid.2013.05.012>
19. Heckman GA, Hawkins C, Morris A, Burrows LL, Bergeron C. Rapidly progressive dementia due to *Mycobacterium neoaurum* meningoencephalitis. *Emerg Infect Dis*. 2004;10:924–7. [PubMed](#) <https://doi.org/10.3201/eid1005.030711>
20. Kaevska M, Sterba J, Svobodova J, Pavlik I. *Mycobacterium avium* subsp. *avium* and *Mycobacterium neoaurum* detection in an immunocompromised patient. *Epidemiol Infect*. 2014;142:882–5. [PubMed](#) <https://doi.org/10.1017/S0950268813001660>
21. Kim CK, Choi SI, Jeon BR, Lee YW, Lee YK, Shin HB. Pulmonary infection caused by *Mycobacterium neoaurum*: the first case in Korea. *Ann Lab Med*. 2014;34:243–6. [PubMed](#) <https://doi.org/10.3343/alm.2014.34.3.243>
22. Josan E, Singh S, Bark C, Infeld M. *Mycobacterium neoaurum* with isolated cavitary pulmonary infection. *Chest*. 2020;158:A370. <https://doi.org/10.1016/j.chest.2020.08.365>

23. Morimoto Y, Chan ED, Heifets L, Routes JM. Pulmonary infection with *Mycobacterium neoaurum* identified by 16S ribosomal DNA sequence. *J Infect.* 2007;54:e227–31. [PubMed](#) <https://doi.org/10.1016/j.jinf.2006.12.010>
24. Bastón-Paz N, Bolaños-Rivero M, Hernández-Cabrera M, Martín-Sánchez AM. Pacemaker infection with *Mycobacterium neoaurum* [in Spanish]. *Rev Esp Quimioter.* 2018;31:379–82. [PubMed](#)
25. Kusano T, Fukasawa C, Yamamoto S, Shiratori E, Murata S, Takaki A, et al. Pin tract infection caused by *Mycobacterium neoaurum* in a 14-year-old child: a case report. *J Infect Chemother.* 2021;27:1244–7. [PubMed](#) <https://doi.org/10.1016/j.jiac.2021.03.005>
26. Chadha M, Arias M, Maxwell-Scott H, Creamer D, Boissiere J, Sioletic S, et al. *Mycobacterium neoaurum* as an unusual cause of skin and soft tissue infection. *Int J Dermatol.* 2023;62:e45–7. [PubMed](#) <https://doi.org/10.1111/ijd.16424>
27. Omoruyi OJ, Ip WY, To KK. Hand infection due to *Mycobacterium neoaurum*. *J Hand Surg Eur Vol.* 2012;37:574–5. [PubMed](#) <https://doi.org/10.1177/1753193412442296>
28. Martin LK, Lawrence R, Kossard S, Murrell DF. Cutaneous *Mycobacterium neoaurum* infection causing scarring alopecia in an immunocompetent host. *Br J Dermatol.* 2007;157:204–6. [PubMed](#) <https://doi.org/10.1111/j.1365-2133.2007.07953.x>
29. Jiang SH, Roberts DM, Clayton PA, Jardine M. Nontuberculous mycobacterial PD peritonitis in Australia. *Int Urol Nephrol.* 2013;45:1423–8. [PubMed](#) <https://doi.org/10.1007/s11255-012-0328-4>
30. McNally CF, Mangino JE. *Mycobacterium neoaurum*: a case report and review of the literature. *Infect Dis Clin Pract.* 2000;9:273–5. [PubMed](#) <https://doi.org/10.1097/00019048-200009060-00013>
31. Zanetti S, Faedda R, Fadda G, Dupré I, Molicotti P, Ortu S, et al. Isolation and identification of *Mycobacterium neoaurum* from a patient with urinary infection. *New Microbiol.* 2001;24:189–92. [PubMed](#)