#### COMMENT LETTERS

transcription real-time polymerase chain reaction for simultaneous detection of Mayaro, Oropouche, and Oropouche-like viruses. Mem Inst Oswaldo Cruz. 2017;112:510–3. https://doi.org/10.1590/0074-02760160062

- Cardoso BF, Serra OP, Heinen LB, Zuchi N, Souza VC, Naveca FG, et al. Detection of Oropouche virus segment S in patients and in *Culex quinquefasciatus* in the state of Mato Grosso, Brazil. Mem Inst Oswaldo Cruz. 2015;110:745–54. https://doi.org/10.1590/0074-02760150123
- Naveca FG, Almeida TAP, Souza V, Nascimento V, Silva D, Nascimento F, et al. Human outbreaks of a novel reassortant Oropouche virus in the Brazilian Amazon region. Nat Med. 2024. https://doi.org/10.1038/s41591-024-03300-3

Address for correspondence: Zsòfia Iglòi, Nb1052 Clinical Virology, Erasmus MC, Doctor Molewaterplein 40, 3015 GD Rotterdam, the Netherlands; email: z.igloi@erasmusmc.nl

# Case Report of Leprosy in Central Florida, USA, 2022

Austin B. Auyeung, Saphra Sohail, Marie Kima

Author affiliation: HCA North Florida Hospital, Gainesville, Florida, USA

DOI: https://doi.org/10.3201/eid3101.231370


To the Editor: We read with interest about the leprosy case in central Florida, USA, described by Bhukhan et al. (1). We report a similar case of leprosy (also known as Hansen disease), diagnosed in

a 55-year-old female patient in northern Florida, that exhibited tuberculoid features. *Mycobacterium leprae* was detected by PCR in multiple biopsied lesions, confirming the diagnosis.

The patient manifested multiple macules and patches with central clearance and erythematous borders without hypoesthesias on the right arm and shoulder (Figures 1, 2). She denied having fever, chills, or abdominal pain but reported right knee pain and swelling, suggestive of arthritis, which is not uncommon in patients with leprosy. We prescribed monthly doses of 600 mg rifampin, 400 mg moxifloxacin, and 100 mg minocycline. We



**Figure 1.** Leprosy lesions in a 55-year-old female patient in north Florida, USA. Multiple hypopigmented plaques with erythematous borders appeared along the right posterior forearm (A), right forehead (B), right trapezius (C), and left posterior forearm (D).



**Figure 2.** Histologic analysis of skin biopsies from a 55-yearold female patient with leprosy in north Florida, USA. Skin biopsies from right proximal ventral forearm (A) and left distal dorsal forearm (B) underwent hematoxylin and eosin staining. Arrows indicate areas of dermal granulomatous inflammation. Original magnification ×100. added methotrexate and low-dose prednisone to the patient's regimen to treat new neuropathy of the hands and possible leprosy reactions, according to recommendations from the National Hansen's Disease Program. After >1 year of treatment, she remains on methotrexate, moxifloxacin, rifampin, and minocycline. Her lesions have resolved except for 1 on her right forearm, which also appears to be improving.

Contact with armadillos (2), the Eurasian red squirrel (3), and amoebae in soil (4) have been linked to leprosy. This patient previously lived in a house with a tree rat infestation in the attic, but it is unknown if tree rats carry leprosy. The patient works in finance and denies participating in any outdoor occupational or recreational activities. She did not report travel to a leprosy-endemic area; exposure to soil, armadillos, or squirrels; contact with someone who had been to a disease-endemic area; or contact with a person who had a confirmed case of leprosy. Because some patients with leprosy do not report traditional risk factors, it is possible that other exposure sources or zoonotic reservoirs are yet to be discovered.

#### References

- 1. Bhukhan A, Dunn C, Nathoo R. Case report of leprosy in central Florida, USA, 2022. Emerg Infect Dis. 2023;29: 1698-700. https://doi.org/10.3201/eid2908.220367
- 2. Truman RW, Singh P, Sharma R, Busso P, Rougemont J, Paniz-Mondolfi A, et al. Probable zoonotic leprosy in the southern United States. N Engl J Med. 2011;364:1626-33. https://doi.org/10.1056/NEJMoa1010536
- 3. Avanzi C, Del-Pozo J, Benjak A, Stevenson K, Simpson VR, Busso P, et al. Red squirrels in the British Isles are infected with leprosy bacilli. Science. 2016;354:744-7. https://doi.org/ 10.1126/science.aah3783
- 4. Lahiri R, Krahenbuhl JL. The role of free-living pathogenic amoeba in the transmission of leprosy: a proof of principle. Lepr Rev. 2008;79:401-9. https://doi.org/10.47276/ lr.79.4.401

Address for correspondence: Austin B. Auyeung, HCA North Florida Hospital, Internal Medicine Residency, 6500 W Newberry Rd, Gainesville, FL 32605-4392, USA; email: austin.auyeung@hcahealthcare.com

## etymologia revisited Scrapie [skra'pe]

CDC EMERGING **US DISEASES** 2.

Originally published in June 2020

Ccrapie is a fatal neurodegenerative disease of sheep and goats that was Uthe first of a group of spongiform encephalopathies to be reported (1732 in England) and the first whose transmissibility was demonstrated by Cuille and Chelle in 1936. The name resulted because most affected sheep develop pruritis and compulsively scratch their hides against fixed objects. Like other transmissible spongiform encephalopathies, scrapie is associated with an alteration in conformation of a normal neural cell glycoprotein, the prion protein. The scrapie agent was first described as a prion (and the term coined) by Stanley Prusiner in 1982, work for which he received the Nobel Prize in 1997.

### **References:**

- 1. Brown P, Bradley R. 1755 and all that: a historical primer of transmissible spongiform encephalopathy. BMJ. 1998;317:1688-92.
- Cuillé J, Chelle PL. The so-called "trembling" disease of sheep: is it inoculable? [in French]. Comptes Rendus de l'Académie Sciences. 1936;203:1552.
- 3. Laplanche J-L, Hunter N, Shinagawa M, Williams E. Scrapie, chronic wasting disease, and transmissible mink encephalopathy. In: Prusiner SB, editor. Prion biology and diseases. Cold Spring Harbor (NY): Cold Spring Harbor Laboratory Press; 1999. p. 393-429.
- 4. Prusiner SB. Novel proteinaceous infectious particles cause scrapie. Science. 1982;216:136-44.

https//wwwnc.cdc.gov/eid/article/26/6/et-2606 article