

EID cannot ensure accessibility for supplementary materials supplied by authors.

Readers who have difficulty accessing supplementary content should contact the authors for assistance.

Dermacentor occidentalis Ticks and Link to *Rickettsia lanei* Infections, California, USA

Appendix

Appendix Table. Number of ticks tested for spotted fever group *Rickettsia* using real-time PCR by California county

California county*	Number of ticks tested by real-time PCR		
	<i>Dermacentor occidentalis</i>	<i>Dermacentor similis</i>	<i>Haemaphysalis leporispalustris</i>
Alameda	8	0	0
Calaveras	8	0	0
Colusa	32	0	0
Contra Costa	276	30	2
El Dorado	75	0	0
Fresno	3	0	0
Kern	13	0	0
Lake	27	0	0
Los Angeles	427	0	0
Marin	223	2	11
Mariposa	1	0	0
Mendocino	3	0	0
Merced	78	0	0
Monterey	115	1	5
Napa	1	0	0
Nevada	13	0	0
Orange	28	0	0
Sacramento	235	0	0
San Bernardino	115	0	0
San Luis Obispo	191	0	0
San Mateo	227	33	642
Santa Barbara	221	0	0
Santa Cruz	205	2	4
Sierra	4	0	0
Solano	14	0	0
Sonoma	128	1	2
Stanislaus	3	0	0
Sutter	10	0	0
Tehama	29	0	0
Tulare	24	0	0
Tuolumne	28	0	0
Ventura	17	0	0
Yolo	89	0	0
Yuba	1	0	0

* Ticks were not tested from the following California counties: Alpine, Amador, Butte, Del Norte, Glenn, Humboldt, Imperial, Inyo, Kings, Lassen, Madera, Modoc, Mono, Placer, Plumas, Riverside, San Benito, San Diego, San Francisco, San Joaquin, Santa Clara, Shasta, Siskiyou, Trinity.