

EID cannot ensure accessibility for supplementary materials supplied by authors. Readers who have difficulty accessing supplementary content should contact the authors for assistance.

Cerebrospinal Fluid Findings among Patients with Anaplasmosis and Central Nervous Involvement, Minnesota and Wisconsin, USA

Appendix

Appendix Table. Cerebrospinal fluid (CSF) meningitis/encephalitis panel results for study patients*

Pathogen	Test	Result
Herpes simplex virus type 1 and 2	PCR	Negative
Varicella zoster virus	PCR	Negative
Cytomegalovirus	PCR	Negative
Human parechovirus	PCR	Negative
Human herpesvirus 6	PCR	Negative
Epstein–Barr virus	PCR	Negative
Enterovirus 71	PCR	Negative
Adenovirus	PCR	Negative
Lymphocytic choriomeningitis virus	IgM and IgG	Negative
West Nile virus	IgM and IgG	Negative
Jamestown Canyon virus	IgM	Negative
St. Louis encephalitis virus	IgM and IgG	Negative
California (La Crosse) encephalitis virus	IgM and IgG	Negative
Western equine encephalitis virus	IgM and IgG	Negative
Eastern equine encephalitis virus	IgM and IgG	Negative
Powassan virus	IgM and IgG	Negative
<i>Escherichia coli</i> K1	PCR	Negative
<i>Neisseria meningitidis</i>	PCR	Negative
<i>Borrelia burgdorferi</i>	PCR, IgM, and IgG	Negative
<i>Leptospira</i> spp.	IgM and IgG	Negative
<i>Listeria monocytogenes</i>	PCR	Negative
<i>Streptococcus pneumoniae</i>	PCR	Negative
<i>Streptococcus agalactiae</i>	PCR	Negative
<i>Hemophilus influenzae</i>	PCR	Negative
<i>Cryptococcus neoformans/gattii</i>	PCR	Negative

*All testing was performed on cerebrospinal fluid samples as part of the routine meningitis/encephalitis diagnostic panel. Results for all listed pathogens were negative for all 10 patients included in the study.